INT. J. PROD. RES., 1995, VOL. 33, NO. 12, 3501–3512

INDEX OF AUTHORS (WITH TITLES)

PAGE

Abdulnour, G., Dudek, R. A., and Smith, M. L.: Effect of maintenance policies on the just-in-time production system 565
Adachi, T., Enkawa, T., and Shih, L. C.: A concurrent engineering methodology using analogies to Just-In-Time concepts 587
Adiga, S., see Dessouky, M. M.
Afentakis, P., see Solomon, M. M.
Affisco, J. F., see Paknejad, M. J.
Agnetis, A., Ciancimino, A., Lucertini, M., and Pizzichella, M.: Balancing flexible lines for car components assembly 333
Al-Asseri, I., and Hariga, M.: A simple lot-scheduling model for just-in-time manufacturing 3143
Ang, C. L.: On the performance of hybrid multi-cell flexible manufacturing systems 2779
Annadi, H. P., Keats, J. B., Runger, G. C., and Montgomery, D. C.: An adaptive sample size CUSUM control chart 1605
Arizono, I., Kato, M., Yamamoto, A., and Ohta, H.: A new stochastic neural network model and its application to grouping parts and tools in flexible manufacturing systems 1535
Arzi, Y.: On-line scheduling in a multi-cell flexible manufacturing system 3283
Astakhov, V. P., Galitsky, V. V., and Osman, M. O. M.: An investigation of the static stability in self-piloting drilling 1617
Atmani, A., Lashkari, R. S., and Caron, R. J.: A mathematical programming approach to joint cell formation and operation allocation in cellular manufacturing . . 1
Atwater, J. B., and Chakravorty, S. S.: Using the theory of constraints to guide the implementation of quality improvement projects in manufacturing operations 1737

Badiru, A. B.: Multivariate analysis of the effect of learning and forgetting on product quality 777
Baek, W., see Chen, C.-L.
Bahrami, A., Lynch, M., and Dagli, C. H.: Intelligent design retrieval and packaging system: application of neural networks in design and manufacturing . . . 405
Balakrishnan, S., see Yan, D.
Banerjee, P., and Zhou, Y.: Facilities layout design optimization with single loop material flow path configuration 183
Bard, J. F., see Robinson, J. K.
Basnet, C., and Mize, J. H.: A rule-based, object-oriented framework for operating flexible manufacturing systems 1417
Basu, A., Hyer, H., and Shtub, A.: An expert system based approach to manufacturing cell design 2739
Batra, J. L., see Gupta, R.
Beaumariage, T., see Dessouky, Y.
Ben Wang, H.-P., see Spoerre, J.
Benton, W. C., see Kim, J. S.
Bernado, J. J., see Mohamed, Z. M.
Blount, G. N., and Fischer, B. V.: Computerised blank shape prediction for sheet metal components having doubly-curved surfaces 993
Brandimarte, P., Ukovich, W., and Villa, A.: Continuous flow models for batch manufacturing: a basis for a hierarchical approach 1635

Brandimarte, P., and Calderini, M.: A hierarchical bicriterion approach to integrated process plan selection and job shop scheduling 161
Brennan, L., see Gupta, S. M.
Buzacott, J. A., see McKay, K. N.

Calderini, M., see Brandimarte, P.
Cantin, F., see Price, W.
Caron, R. J., see Atmani, A.
Case, K., see Gindy, N. N. Z.
Cha, C. N., see Hwang, H.
Chakravorty, S. S., see Atwater, J. B.
Chang, D., and Lee, S. M.: Impact of JIT on organizational performance of U.S. firms 3053
Chang, S. Y., see Seong, D.
Chao, X., Das, S. K., and Nagendra, P.: Prioritization of kanbans in the case of a single station serving multiple downstream stations 377
Charnes, J. M., see Shafer, S. M.
Chen, C.-L., Cotruvo, N. A., and Baek, W.: A simulated annealing solution to the cell formation problem. 2601
Chen, F. F., Ker, J.-I., and Kleawpatinon, K.: An effective part-selection model for production planning of flexible manufacturing systems 2671
Chen, J.-M., and Ventura, J. A.: Vision-based shape recognition and analysis of machined parts 101
Chen, L.-H., see Kao, C.
Chen, R., Hawaleshka, O., and Strong, D.: System modelling for economic raw material selection 3301
Chen, S.-J., and Cheng, C.-S.: A neural network-based cell formation algorithm in cellular manufacturing 293
Chen, Y., see Pan, H.
Cheng, C.-S., see Chen, S.-J.
Cheng, M., see Yan, D.
Chiu, C., and Yih, Y.: A learning-based methodology for dynamic scheduling in distributed manufacturing systems 3217
Cho, M. W., Kim, M. K., and Kim, K.: Flexible inspection system based on a vision guided coordinate measuring machine 1433
Cho, M. W., and Kim, K.: New inspection planning strategy for sculptured surfaces using coordinate measuring machine 427
Choi, Y. G., see Jang, D. Y.
Chong, C. W., see Hwarng, H. B.
Christenson, K. R., and Dogan, C. A.: A simulation generator for dual-card kanban-controlled flow shops 2615
Chu, H.-K., Egbelu, P. J., and Wu, Chung-Te: ADVISOR: A computer-aided material handling equipment selection system 3311
Ciancimino, A., see Agnetis, A.
Co, H. C., and Zhu, J.: A note on the problem of scheduling a flexible manufacturing system for Just-in-time customers 1673
Coman, A., and Ronen, B.: Information technology in operations management: a theory-of-constraints approach 1403
Conerly, M. D., see Margavio, T. M.
Cook, D. F., see Whittaker, A. D.
Cotruvo, N. A., see Chen, C.-L.
Cox III, J. F., see Lockamy III, A.
Cox, J. F., see Spencer, M. S.
Creese, R. C., see Tan, F. P.

Dagli, C. H., see Bahrami, A.
Dagli, C., and Huggahalli, R.: Machine-part family formation with the adaptive resonance theory paradigm 893

Dahel, N.-E.: Design of cellular manufacturing systems in tandem configuration . 2079
Das, S. K., see Chao, X.
Davis, S. G., An improved algorithm for solving the economic lot size problem (ELSP) 1007
Del Castillo, E.: Relations between $\overline{X}$ control chart design variables and production control 2709
Desai, V. S., see Pande, S. S.
Deslandres, V., and Pierreval, H.: SYSMIQ: A knowledge-based system for assisting quality control 1201
Dessouky, M. M., Adiga, S., and Park, K.: Design and scheduling of flexible assembly lines for printed circuit boards 757
Dessouky, Y., Roberts, C., and Beaumariage, T.: An object-oriented simulation architecture with real-time capabilities 2471
Ding, F.-Y., see Verma, P.
Dogan, C. A., see Christenson, K. R.
Dooley, K. J., see Guo, Y.
Dowsland, W. B.: Improving palletisation efficiency—the theoretical basis and practical application 2213
Dudek, R. A., see Abdulnour, G.

Ebert, R. J., and Lee, T. S.: Production loss functions and subjective assessments of forecast errors: untapped sources for effective master production scheduling . 137
Edan, Y., and Nof, S. Y.: Motion economy analysis for robotic kitting tasks . . 1213
Egbelu, P. J., see Chu, H.-K.
Egbelu, P. J., see Seo, Y.
Elsayed, E. A., Ribeiro, J. L., and Lee, M.-K.: Automated process control and quality engineering for processes with damped controllers 2923
Elsayed, E. A., see Ribeiro, J. L.
Enkawa, T., see Adachi, T.
Enkawa, T., see Zegordi, S. H.
Enns, S. T.: A dynamic forecasting model for job shop flowtime prediction and tardiness control 1295
Enns, S. T.: An integrated system for controlling shop loading and work flow . . 2801

Fawcett, S. E., and Scully, J.: A contingency perspective of just-in-time purchasing: globalization, implementation, and performance 915
Finch, B. J., and Luebbe, R.: The impact of learning rate and constraints on production line performance 631
Fowler, J. W., see Robinson, J. K.
Fredendall, L. D., and Melnyk, S. A.: Assessing the impact of reducing demand variance through improved planning on the performance of a dual resource constrained job shop. 1521
Fry, T. D.: Japanese manufacturing performance criteria. 933
Fry, T. D., Kher, H. V., and Malhotra, M. K.: Managing worker flexibility and attrition in dual resource constrained job shops 2163

Galitsky, V. V., see Astakhov, V. V.
Gascon, A., Leachman, R. C., and Lefrançois, P.: A note on improving the performance of the enhanced dynamic cycle lengths heuristic for the multi-item, single machine scheduling problem 869
Gaydecki, P. A., see Gibson, D.
Ge, Y., and Yih, Y.: Crane scheduling with time windows in circuit board production lines. 1187
Gelders, L. F., see Pintelon, L. M. A.
Gibson, D., and Gaydecki, P. A.: Parameter search as a simple computer vision methodology 3455
Gillen, D., see Noori, H.

Gindy, N. N. Z., Ratchev, T. M., and Case, K.: Component grouping for GT applications—a fuzzy clustering approach with validity measure 2493
Golhar, D. Y., see Mihalko, D. P.
Goodale, J. C., see Zhao, X.
Gopalakrishnan, A., see Mukhopadhyay, S. K.
Gopalakrishnan, M., Miller, D. M., and Schmidt, C. P.: A framework for modelling setup carryover in the capacitated lot sizing problem 1973
Goyal, S. K.: Comment on Viswanathan's note 3487
Gravel, M., see Price, W.
Grieco, A., Semeraro, Q., Tolio, T., and Toma, S.: Simulation of tool and part flows in FMSs 643
Griffiths, B. J., and Wilkie, B.: A low-cost vision system combining conventional and artificial intelligence techniques for complex image inspection and verification 2133
Griffiths, B. J., see Wilkie, B. A.
Griffiths, J. G., see Marshall, S.
Gu, P., and Yan, X.: CAD-directed automatic assembly sequence planning . . . 3069
Gu, P., see Rao, H. A.
Gulsen, M., Smith, A. E., and Tate, D. M.: A genetic algorithm approach to curve fitting 1911
Gunasekaran, A., Korukonda, A. R., Virtanen, I., and Yli-olli, P.: Optimal investment and lot-sizing policies for improved productivity and quality 261
Guo, Y., and Dooley, K. J.: Distinguishing between mean, variance and autocorrelation changes in statistical quality control 497
Gupta, R., Batra, J. L., and Lal, G. K.: Determination of optimal subdivision of depth of cut in multipass turning with constraints 2555
Gupta, S. M., and Brennan, L.: MRP systems under supply and process uncertainty in an integrated shop floor control environment 205

Hahn, W. F., see Perrego, T. A.
Handfield, R. B., and Pannesi, R. T.: Antecedents of leadtime competitiveness in make-to-order manufacturing firms 511
Hao, G., Shang, J. S., and Vargas, L. G.: A neural network model for on-line control of flexible manufacturing systems 2835
Hariga, M., see Al-Asseri, I.
Hawaleshka, O., see Chen, R.
Heidergott, B.: Sensitivity analysis of a manufacturing workstation using perturbation analysis techniques 611
Herer, Y. T., see Karni, R.
Hitomi, K., see Hoshino, T.
Hlupic, V., and Paul, R. J.: A critical evaluation of four manufacturing simulators 2757
Ho, C.-J.: Examining the impact of demand lumpiness on the lot-sizing performance in MRP systems 2579
Ho, C.-J., Law, W.-K., and Rampal, R.: Uncertainty-dampening methods for reducing MRP system nervousness 483
Hollier, R. H., Mak, K. L., and Lam, C. L.: Continuous review (s, S) policies for inventory systems incorporating a cutoff transaction size 2855
Hong, Y., see Seong, D.
Horng, S.-D., see Kao, C.
Hoshino, T., Yura, K., and Hitomi, K.: Optimization analysis for recycle-oriented manufacturing systems 2069
Huang, S. H., see Zhang, H.-C.
Huggahalli, R., see Dagli, C.
Hwang, H., and Cha, C. N.: An improved version of the production switching heuristic for the aggregate production planning problem 2567
Hwarng, H. B., Chong, C. W.: Detecting process non-randomness through a fast and cumulative learning ART-based pattern recognizer 1817

Hwarng, H. B.: Multilayer perceptrons for detecting cyclic data on control charts 3101
Hyer, H., see Basu, A.

Iakovou, E., Malik, K., and Muckstadt, J. A.: A hierarchical approach for metal parts fabrication 1257
Iakovou, E., see Koulamas, C.
Ichihashi, H., see Nagasaka, K.
Inman, R. R.: Quantifying the advantages of production quota flexibility in the automotive industry 741
Irani, S. A., Koo, H.-Y., and Raman, S.: Feature-based operation sequence generation in CAPP. 17
Itoh, K., see Zegordi, S. H.

Jang, D. Y., and Choi, Y. G.: A cutting damping index for real-time monitoring of tool wear in turning 391
Johnson, M. R., and Wang, M. H.: Planning product disassembly for material recovery opportunities 3119
Jothishankar, M. C., see Vujosevic, R.
Juang, S.-H., see Vujosevoc, R.

Kaku, B. K., and Krajewski, L. J.: Period batch control in group technology . . 79
Kamram, M., see Yeh, S.
Kang, J.-K., see Suh, S.-H.
Kao, C., Wang, T.-Y., Kuo, S., Chen, L.-H., and Horng, S.-D.: Production pattern of machinery firms: viewpoints of technology and management 3207
Kao, J.-F., and Sanders, J. L.: Analysis of operating policies for manufacturing cells. 2223
Kaparthi, S., see Suresh, N. C.
Karni, R., and Herer, Y. T.: Allocation of tasks to stations in small-batch assembly with learning: basic concepts 2973
Kato, M., see Arizono, I.
Keats, J. B., see Annadi, H. P.
Ker, J.-I., see Chen, F. F.
Kher, H. V., see Fry, T. D.
Khoo, L. P., and Young, H. Y.: A prototype fuzzy resistance spot welding system 2023
Kim, C. B., Park, S., and Yang, M. Y.: Verification of NC tool path and manual and automatic editing of NC code 659
Kim, D., and Mabert, V. A.: Integrative versus separate cycle scheduling heuristics for capacitated discrete lot sizing and sequencing problems 2007
Kim, H., and Park, S.: A strong cutting plane algorithm for the robotic assembly line balancing problem. 2311
Kim, J. S., and Benton, W. C.: Lot size dependent lead times in a Q,R inventory system 41
Kim, K. I., and Kim, K.: A new machine strategy for sculptured surfaces using offset surface 1683
Kim, K., see Cho, M. W.
Kim, K., see Kim, K. I.
Kim, M. K., see Cho, M. W.
Kim, S.-Y., see Lee, M.-K.
Kim, Y.-D., see Park, M.-W.
Kleawpatinon, K., see Chen, F. F.
Kojima, M., see Ohno, K.
Koo, H.-Y., see Irani, S. A.
Koo, P.-H., Moodie, C. L., and Talavage, J. J.: A spreadsheet model approach for integrating static capacity planning and stochastic queueing models . . . 1369
Korukonda, A. R., see Gunasekaran, A.

Koulamas, C.: Application of ELSP solution techniques to the deterministic robotic scheduling problem 2933
Koulamas, C., and Iakovou, E.: Machining economics with machine interference considerations 71
Kouvelis, P., and Papanicolaou, V.: Expected travel time and optimal boundary formulas for a two-class-based automated storage/retrieval system 2889
Krajewski, L. J., see Kaku, B. K.
Kripalani, M. K., see Mukhopadhyay, S. K.
Kulkarni, V. S., and Pande, S. S.: A system for automatic extraction of 3D part features using syntactic pattern recognition techniques 1569
Kumar, S., and Veeramani, D.: Determination of turret configuration and hit sequence for optimization of NC turret punch press operation 1071
Kuo, S., see Kao, C.

Lal, G. K., see Gupta, R.
Lam, C. L., see Hollier, R. H.
Lashkari, R. S., see Atmani, A.
Law, W.-K., see Ho, C.-J.
Leachman, R. C., see Gascon, A.
Lee, C.-C., and Lin, J. T.: Deadlock prediction and avoidance based on Petri nets for zone-control automated guided vehicle systems 3249
Lee, M.-K., and Kim, S.-Y.: Scheduling of storage/retrieval orders under a just-in-time environment 3331
Lee, M.-K., see Elsayed, E. A.
Lee, S. M., see Chang, D.
Lee, S. S. G., see Ngoi, B. K. A.
Lee, S., Wysk, R. A., and Smith, J. S.: Process planning interface for a shop floor control architecture for computer-integrated manufacturing 2415
Lee, T. S., see Ebert, R. J.
Lee, T. S., see Zhao, X.
Lefrançois, P., see Gascon, A.
Leonard, R., see Nagasaka, K.
Leung, K. H., see Nkasu, M. M.
Levitin, G., and Rubinovitz, J.: Algorithm for tool placement in an automatic tool change magazine. 351
Li, R.-K., Lin, C.-Y., and Wu, H.-H.:Feature modification framework for feature based design systems 549
Li, R.-K., see Wu, H.-H.
Liang, M., and Taboun, S. M.: Converting functional manufacturing systems into focused machine cells—a bicriterion approach 2147
Lim, L. E. N., see Ngoi, B. K. A.
Lin, C.-Y., see Li, R.-K.
Lin, H., Yih, Y., and Salvendy, G.: Neural-network based fault diagnosis of hydraulic forging presses in China 1939
Lin, J. T., see Lee, C.-C.
Lin, S.-C., and Wang, H.-P. B.: Modelling an automated storage and retrieval system using Petri nets 237
Lingayat, S., Mittenthal, J., and O'Keefe, R. M.: An order release mechanism for a flexible flow system 1241
Linn, R. J., see Muralidharan, B.
Lockamy III, A., and Cox III, J. F.:An empirical study of division and plant performance measurement systems in selected world class manufacturing firms: linkages for competitive advantage 221
Logendran, R., and Ramakrishna, P.: Manufacturing cell formation in the presence of lot splitting and multiple units of the same machine 675
Lucertini, M., see Agnetis, A.
Luczak, H., and Sallmann, B.: Downtime analysis for automatic moulding plants . 319
Luebbe, R., see Finch, B. J.

Lynch, M., see Bahrami, A.

Mabert, V. A., see Kim, D.
Majety, S. V., and Wang, M. H.: Terminal location and guide path design in terminal based AGV systems 1925
Mak, K. L., see Hollier, R. H.
Malakooti, B., and Yang, Z.: A variable-parameter unsupervised learning clustering neural network approach with application to machine-part group formation. . 2395
Malhotra, M. K., see Fry, T. D.
Malik, K., see Iakovou, E.
Malmborg, C. J.: Optimization of cube-per-order index warehouse layouts with zoning constraints 465
Margavio, T. M., and Conerly, M. D.: A comparison of multivariate moving average control charts for the process mean 1313
Marshall, S., and Griffiths, J. G.: A new cutter path construction technique for milling machines. 1723
McHaney, R.: Modelling battery constraints in discrete event automated guided vehicle simulations 3023
McKay, K. N., Safayeni, F. R., and Buzacott, J. A.: 'Common sense' realities of planning and scheduling in printed circuit board production 1587
Medeiros, D. J., see Watson, E. F.
Melnyk, S. A., see Fredendall, L. D.
Mihalko, D. P., and Golhar, D. Y.: Estimation of optimal profit for a production process with unknown variance. 2125
Millen, R. A., see Solomon, M. M.
Miller, D. M., see Gopalakrishnan, M.
Miltenburg, J., and Sinnamon, G.: Discussion. Revisiting the mixed-model multi-level just-in-time scheduling problem 2049
Minor, E. D., see Smith, C. H.
Mittenthal, J., see Lingayat, S.
Mize, J. H., see Basnet, C.
Modi, B. K., and Shanker, K.: Models and solution approaches for part movement minimization and load balancing in FMS with machine, tool and process plan flexibilities 1791
Mohamed, Z. M., and Bernado, J. J.: The relationship between part type demand and FMS loading policies 2197
Montgomery, D. C., see Annadi, H. P.
Moodie, C. L., see Koo, P.-H.
Moore, P. R., see Pu, J.
Muckstadt, J. A., see Iakovou, E.
Mukhopadhyay, S. K., Gopalakrishnan, A., and Kripalani, M. K.: Moments-based clustering techniques for manufacturing cell formation 1091
Mukhopadhyay, S. K., and Gopalakrishnan, A.: A vector analytic (VECAN) method for solving the machine-part grouping problem in GT 795
Muralidharan, B., Linn, R. J., and Pandit, R.: Shuffling heuristics for the storage location assignment in an AS/RS 1661
Murthy, Ch. V. R., and Srinivasan, G.: Fractional cell formation in group technology 1323

Nagasaka, K., Ichihashi, H., and Leonard, R.: Neuro-fuzzy GMDH and its application to modelling grinding characteristics 1229
Nagendra, P., see Chao, X.
Nakashima, K., see Ohno, K.
Nasri, F., see Paknejad, M. J.
Ngoi, B. K. A., Lee, S. S. G., and Lim, L. E. N.: Analysing the probabilities of the natural resting aspects of a component with a displaced centre of gravity 2387
Ngoi, B. K. A., Lim, L. E. N., and Lee, S. S. G.: Analysing the natural resting aspects of a complex part 3163

Ngoi, B. K. A., and Tan, C. K.: Computer-aided tolerance charting—a 'black box' approach 1117
Ngoi, B. K. A., and Tan, C. K.: Geometrics in computer-aided tolerance charting . 835
Nkasu, M. M., and Leung, K. H.: A stochastic approach to assembly line balancing 975
Nnaji, B. O., see Yeh, S.
Noble, J. S., and Tanchoco, J. M. A.: Marginal analysis guided design justification: a material handling example 3439
Nof, S. Y., see Witzerman, J. P.
Nof, S., see Edam, Y.
Noori, H., and Gillen, D.: A performance measuring matrix for capturing the impact of AMT 2037
Norgate, P., see Wilkie, B. A.
Nsakanda, A. L., see Price, W.

O'Brien, C., see Xiang, D.
Ohno, K., Nakashima, K., and Kojima, M.: Optimal numbers of two kinds of kanbans in a JIT production system 1387
Ohta, H., see Arizono, I.
O'Keefe, R. M., see Lingayat, S.
Orady, E., see Pan, H.
Osman, M. O. M., see Astakhov, V. P.
Ou-Yang, C., and Yuan, Y. C.: An approach to find the minimum wall thickness of a part from its B-Rep model 1339
Ovacik, I. M., and Uzsoy, R.: Rolling horizon procedures for dynamic parallel machine scheduling with sequence-dependent setup times 3173

Paik, C.-H., and Tcha, D.-W.: Throughput equivalencies in fork/join queueing networks with finite buffers and general service times 695
Paknejad, M. J., Nasri, F., and Affisco, J. F.: Defective units in a continuous review (s, Q) system 2767
Pan, H., Chen, Y., Orady, E., and Yan, F.: Tool condition monitoring by acoustic analysis through a solid path 2455
Pande, S. S., and Desai, V. S.: Expert CAPP system for single spindle automats . 819
Pande, S. S., see Kulkarni, V. S.
Pandit, R., see Muralidharan, B.
Pannesi, R. T., see Handfield, R. B.
Papanicolaou, V., see Kouvelis, R. P.
Park, K., see Dessouky, M. M.
Park, M.-W., and Kim, Y.-D.: A heuristic for setting up a flexible assembly system 2295
Park, P. S., and Salegna, G. J.: Load smoothing with feedback in a bottleneck job shop 1549
Park, S., see Kim, C. B.
Park, S., see Kim, H.
Park, Y. B.: A simulation analysis of robot service movements in FMC 539
Paul, R. J., see Hlupic, V.
Perrego, T. A., Petersen, H. C., and Hahn, W. F.: The Perrego algorithm: a flexible machine–component grouping algorithm based on group technology techniques 1709
Petersen, H. C., see Perrego, T. A.
Pierreval, H., see Deslandres, V.
Pintelon, L. M. A., Van Puyvelde, F. L. B., and Gelders, L. F.: An age-based replacement policy with non-zero repair times for a continuous production process 2111
Piplani, R., and Talavage, J.: Launching and dispatching strategies for multi-criteria control of closed manufacturing systems with flexible routeing capability . . 2181
Pizzichella, M., see Agnetis, A.
Popplewell, N., see Yan, D.

Prasad, Y. K. D. V., Somasundaram, S., and Rao, K. P.: A sliding algorithm for optimal nesting of arbitrarily shaped sheet metal blanks 1505
Price, W., Gravel, M., Nsakanda, A. L., and Cantin, F.: Modelling the performance of a kanban assembly shop 1169
Pu, J., Moore, P. R., and Wong, C. B.: Commissioning of a servo-pneumatic system for timing and profile control in a high speed food packaging application . . . 2907

Raghu, T. S., and Rajendran, C.: Due-date setting methodologies based on simulated annealing—an experimental study in a real-life job shop 2535
Rajendran, C., see Raghu, T. S.
Ram, R., and Viswanadham, N.: Performance analysis of flexible workcentres using multiqueue models 2511
Ramakrishna, P., see Logendran, R.
Raman, S., see Irani, S. A.
Rampal, R., see Ho, C.-J.
Randhawa, S. U., and Smith, T. A.: An experimental investigation of scheduling non-identical, parallel processors with sequence-dependent set-up times and due dates 59
Rao, H. A., and Gu, P.: A multi-constraint neural network for the pragmatic design of cellular manufacturing systems 1049
Rao, K. P., see Prasad, Y. K. D. V.
Raskar, R., see Vujosevic, R.
Ratchev, T. M., see Gindy, N. N. Z.
Ravi, B., and Srinivasan, M. N.: Features-based castability evaluation 3367
Ribeiro, J. L., and Elsayed, E. A.: A case study on process optimization using the gradient loss function 3233
Ribeiro, J. L., see Elsayed, E. A.
Roberts, C., see Dessouky, Y.
Robinson, J. K., Fowler, J. W., and Bard, J. F.: The use of upstream and downstream information in scheduling semi-conductor batch operations 1849
Romero-Subirón, F., and Rosado, P.: The design of a line control system for the modular furniture industry 1953
Ronen, B., see Coman, A.
Rosado, P., see Romero-Subirón, F.
Rubinovitz, J., see Levitin, G.
Runger, G. C., see Annadi, H. P.

Sadowski, R. P., see Watson, E. F.
Safayeni, F. R., see McKay, K. N.
Sahu, S., see Suresh, G.
Salegna, G. J., see Park, P. S.
Sallmann, B., see Luczak, H.
Salvendy, G., see Lin, H.
Sanders, J. L., see Kao, J.-F.
Sarper, H.:A simulation approach for the analysis of the effect of randomness in cutting surface constraints in the machining economics problem. 1871
Sawik, T. J.: Scheduling flexible flow lines with no in-process buffers. 1357
Şatir, A., see Yavuz, I. H.
Schmidt, C. P., see Gopalakrishnan, M.
Scully, J., see Fawcett, S. E.
Semeraro, Q., see Grieco, A.
Seo, Y., and Egbelu, P. J.: Flexible guidepath design for automated guided vehicle systems 1135
Seong, D., Chang, S. Y., and Hong, Y.: Heuristic algorithms for buffer allocation in a production line with unreliable machines 1989
Shafer, S. M., and Charnes, J. M.: A simulation analyses of factors influencing loading practices in cellular manufacturing 279
Shang, J. S.: Robust design and optimization of material handling in an FMS . . 2437

Shang, J. S., see Hao, G.
Shanker, K., see Modi, B. K.
Sheil, J.: An economic approach towards using individual measurements to control the mean of continuously monitored processes 2959
Shih, L. C., see Adachi, T.
Shtub, A., see Basu, A.
Silver, E. A.: Dealing with a shelf life constraint in cyclic scheduling by adjusting both cycle time and production rate 623
Silverwood, P. A., see Wilkie, B. A.
Sinnamon, G., see Miltenburg, J.
Sinriech, D., and Tanchoco, J. M. A.: An introduction to the segmented flow approach for discrete material flow systems 3381
Siu, S. L., see Wong, T. N.
Slomp, J., see Suresh, N. C.
Smith, A. E., see Gulsen, M.
Smith, C. H., Minor, E. D., and Wen, H. J.: Regression-based due date assignment rules for improved assembly shop performance 2375
Smith, J. S., see Lee, S.
Smith, M. L., see Abdulnour, G.
Smith, T. A., see Randhawa, S. U.
Solomon, M. M., Millen, R. A., and Afentakis, P.: The formation of subfamilies for machine loading of flow-line cells 2357
Somasundaram, S., see Prasad, Y. K. D. V.
Spencer, M. S.: Cycle counting in a JIT environment using V-A-T focusing . . . 1699
Spencer, M. S., and Cox, J. F.: An analysis of the product-process matrix and repetitive manufacturing 1275
Spencer, M. S., and Cox, J. F.: Optimum production technology (OPT) and the theory of constraints (TOC): Analysis and genealogy 1495
Spencer, M. S., and Cox, J. F.: The role of MRP in repetitive manufacturing . . . 1881
Spoerre, J., and Ben Wang, H.-P.: Machine performance monitoring and fault classification using an exponentially weighted moving average scheme . . . 445
Sprague, L. G., see Wacker, J. G.
Srinivasan, G., see Murthy, Ch. V. R.
Srinivasan, M. N., see Ravi, B.
Strong, D., see Chen, R.
Suh, S.-H., and Kang, J.-K.: Process planning for multi-axis NC machining of free surfaces 2723
Suresh, G., Vinod, V. V., and Sahu, S.: A genetic algorithm for facility layout . . 3411
Suresh, N. C., Slomp, J., and Kaparthi, S.: The capacitated cell formation problem: a new hierarchical methodology 1761

Taboun, S. M., see Liang, M.
Tabucanon, M. T., see Yenradee, P.
Taghaboni-Dutta, F., and Tanchoco, J. M. A.: Comparison of dynamic routeing techniques for automated guided vehicle system 2653
Talavage, J. J., see Koo, P.-H.
Talavage, J., see Piplani, R.
Tamimi, N.: An empirical investigation of critical TQM factors using exploratory factor analysis 3041
Tan, C. K., see Ngoi, B. K. A.
Tan, F. P., and Creese, R. C.: A generalized multi-pass machining model for machining parameter selection in turning 1467
Tanchoco, J. M. A., see Noble, J. S.
Tanchoco, J. M. A., see Sinriech, D.
Tanchoco, J. M. A., see Taghaboni-Dutta, F.
Tate, D. M., see Gulsen, M.
Tcha, D.-W., see Paik, C.-H.

Tetzlaff, U. A. W.: Evaluating the effect of tool management on flexible manufacturing system performance 877
Toklu, B., and Wilson, J. M.: An analysis of multi-level lot-sizing problems with a bottleneck under a rolling schedule environment 1835
Tolio, T., see Grieco, A.
Toma, S., see Grieco, A.

Ukovich, W., see Brandimarte, P.
Ulusoy, G., and Yazgaç, T.: Joint decision making for production and marketing 2277
Uzsoy, R.: Scheduling batch processing machines with incompatible job families 2685
Uzsoy, R., see Ovacik, I. M.

van Oudheusden, D. L., see Yenradee, P.
Van Puyvelde, F. L. B., see Pintelon, L. M. A.
Vargas, L. G., see Hao, G.
Veeramani, D., see Kumar, S.
Ventura, J. A., see Chen, J.-M.
Verma, P., and Ding, F.-Y.: A sequence-based materials flow procedure for designing manufacturing cells 3267
Villa, A., see Brandimarte, P.
Vinod, V. V., see Suresh, G.
Virtanen, I., see Gunasekaran, A.
Viswanadham, N., see Ram, R.
Viswanathan, S.: Configuring cellular manufacturing systems: A quadratic integer programming formulation and a simple interchange heuristic 361
Viswanathan, S.: Discussion. A note on 'Effect of production cost on shelf life' . 3485
Vujosevic, R., Raskar, R., Yetukuri, N. V., Jothishankar, M. C., and Juang, S.-H.: Simulation, animation, and analysis of design disassembly for maintainability analysis 2999

Wacker, J. G., and Sprague, L. G.: The impact of institutional factors on forecast accuracy: manufacturing executives perspective 2945
Wan, Y.-W.: Which is better, off-line or real-time scheduling? 2053
Wang, H.-P. B., see Lin, S.-C.
Wang, M. H., see Johnson, M. R.
Wang, M. H., see Majety, S. V.
Wang, T.-Y., see Kao, C.
Wang, Y. S., see Wilkie, B. A.
Wasserman, G. S.: An adaptation of the EWMA chart for short run SPC 2821
Watson, E. F., Medeiros, D. J., and Sadowski, R. P.: Order-release planning using variable lead times based on a backward simulation model 2867
Wen, H. J., see Smith, C. H.
Whittaker, A. D., and Cook, D. F.: Counterpropagation neural network for modelling a continuous correlated process 1901
Wilkie, B. A., Griffiths, B. J., Wang, Y. S., Norgate, P., and Silverwood, P. A.: An AI vision system for the inspection of complex coloured objects. 2633
Wilkie, B., see Griffiths, B. J.
Wilson, J. M., see Toklu, B.
Witzerman, J. P., and Nof, S. Y.: Integration of simulation and emulation with graphical design for the development of cell control programs 3193
Wong, C. B., see Pu, J.
Wong, T. N., and Siu, S. L.: A knowledge-based approach to automated machining process selection and sequencing 3465
Wu, B.: Object-oriented systems analysis and definition of manufacturing operations 955
Wu, Chung-Te, see Chu, H.-K.

Wu, H.-H., and Li. R.-K.: A new rescheduling method for computer based scheduling systems 2097
Wu, H.-H., see Li, R.-K.
Wysk, R. A., see Lee, S.

Xiang, D., and O'Brien, C.: Cell control research—current status and development trends 2352

Yamamoto, A., see Arizono, I.
Yan, D., Cheng, M., Popplewell, N., and Balakrishnan, S.: Application of neural networks for surface roughness measurement in finish turning 3425
Yan, F., see Pan, H.
Yan, X., see Gu, P.
Yang, M. Y., see Kim, C. B.
Yang, Z., see Malakooti, B.
Yavuz, I. H., and Şatir, A.: A kanban-based simulation study of a mixed model just-in-time manufacturing line 1027
Yazgaç, T., see Ulusoy, G.
Yeh, S., Kamram, M., and Nnaji, B. O.: Unfolding sheet metal parts: a graph-based approach 729
Yenradee, P., van Oudheusden, D. L., and Tabucanon, M. T.: Sequence for managing the situational factors to improve the performance of production and inventory control system 3349
Yetukuri, N. V., see Vujosevic, R.
Yih, Y., see Chiu, C.
Yih, Y., see Ge, Y.
Yih, Y., see Lin, H.
Yli-olli, P., see Gunasekaran, A.
Young, H. Y., see Khoo, L. P.
Yuan, Y. C., see Ou-Yang, C.
Yura, K., see Hoshino, T.

Zegordi, S. H., Itoh, K., and Enkawa, T.: A knowledgeable simulated annealing scheme for the early/tardy flow shop scheduling problem 1449
Zhang, H.-C., and Huang, S. H.: Applications of neural networks in manufacturing: a state-of-the-art survey 705
Zhao, X., Goodale, J. C., and Lee, T. S.: Lot-sizing rules and freezing the master production schedule in material requirements planning systems under demand uncertainty 2241
Zhou, Y., see Banerjee, P.
Zhu, J., see Co, H. C.